

Message

---

**From:** Dourson, Michael [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BB29BF491D9A4C3AB569022BCD205A0A-DOURSON, MI]  
**Sent:** 10/23/2017 12:56:19 PM  
**To:** Beck, Nancy [Beck.Nancy@epa.gov]  
**Subject:** Re:

Hmm... thanks

Sent from my iPhone

On Oct 23, 2017, at 8:26 AM, Beck, Nancy <[Beck.Nancy@epa.gov](mailto:Beck.Nancy@epa.gov)> wrote:

No worries Mike. Those programs cannot be added to EPA iPads, essentially making the iPad useful only for email. You will not be able to access any of your files on the iPads either. I did not get an iPad but instead have a tablet I keep at home that allows full access. For travel, I use my laptop- which is actually lighter than my iPad and much faster.

Yes, the 1pm can be covered by Louise today. The Administrator does not attend that meeting.

---

Nancy B. Beck, Ph.D., DABT  
Deputy Assistant Administrator, OCSPP  
P: [202-564-1273](tel:202-564-1273)  
N [Ex. 5 Deliberative Process \(DP\)](#)  
[Beck.Nancy@epa.gov](mailto:Beck.Nancy@epa.gov)

On Oct 23, 2017, at 6:05 AM, Dourson, Michael <[dourson.michael@epa.gov](mailto:dourson.michael@epa.gov)> wrote:

Nancy

Sorry for the confusion. I will ask IT to add word, excel, and PP to my ipad. This will allow more clear commentaries.

I am over at PY during Pruitt's 1 pm senior staff meeting. You have this covered, correct?

Cheers!

Mike

Sent from my iPad

On Oct 22, 2017, at 10:51 PM, Beck, Nancy <[Beck.Nancy@epa.gov](mailto:Beck.Nancy@epa.gov)> wrote:

Not sure what you mean by interface but generally RAD is supportive of using high throughput method.

---

Nancy B. Beck, Ph.D., DABT  
Deputy Assistant Administrator, OCSPP

P: 202-564-1273

Ex. 5 Deliberative Process (DP)

Beck.Nancy@epa.gov

On Oct 21, 2017, at 10:51 AM, Dourson, Michael  
<dourson.michael@epa.gov> wrote:

Interface: Nancy, has ORD been working with our  
OCSPP colleagues on this interface? If so, what are  
the thoughts of our RAD folks?

Sent from my iPad